

Key: IEEE JNL = IEEE Journal or Magazine, IEE JNL = IEE Journal or Magazine, IEEE CNF = IEEE Conference, IEE CNF = IEE Conference, IEEE STD = IEEE Standard

1. **Using QDL to specify QoS aware distributed (QuO) application configuration**
Pal, P.; Loyall, J.; Schantz, R.; Zinky, J.; Shapiro, R.; Megquier, J.;
Object-Oriented Real-Time Distributed Computing, 2000. (ISORC 2000) Proceedings. Third IEEE International Symposium on
15-17 March 2000 Page(s):310 - 319
IEEE CNF
2. **Distributed application configuration**
Bellissard, L.; Atallah, S.B.; Boyer, F.; Riveill, M.;
Distributed Computing Systems, 1996., Proceedings of the 16th International Conference on
27-30 May 1996 Page(s):579 - 585
IEEE CNF
3. **Aspects and constraints for implementing configurable product-line architectures**
Lesaint, D.; Papamargaritis, G.;
Software Architecture, 2004. WICSA 2004. Proceedings. Fourth Working IEEE/IFIP Conference on
12-15 June 2004 Page(s):135 - 144
IEEE CNF
4. **Achieving middleware customization in a configuration-based development environment: experience with the Aster prototype**
Issarny, V.; Bidan, C.; Saridakis, T.;
Configurable Distributed Systems, 1998. Proceedings., Fourth International Conference on
4-6 May 1998 Page(s):207 - 214
IEEE CNF
5. **Integrated support for distributed object-oriented applications**
Schill, A.;
Comcon Spring '90. 'Intellectual Leverage'. Digest of Papers. Thirty-Fifth IEEE Computer Society International Conference.
26 Feb.-2 March 1990 Page(s):372 - 379
IEEE CNF
6. **Enterprise information systems configuration: emphasizing the symbiotic relationship between applications and the underlying network**
Nikolaidou, M.; Anagnostopoulos, D.;
Engineering Complex Computer Systems, 2004. Proceedings. Ninth IEEE International Conference on
14-16 April 2004 Page(s):47 - 56
IEEE CNF
7. **VjControl: an advanced configuration management tool for VR Juggler applications**
Just, C.; Bierbaum, A.; Hartling, P.; Meinert, K.; Cruz-Neira, C.; Baker, A.;
Virtual Reality, 2001. Proceedings. IEEE
13-17 March 2001 Page(s):97 - 104
IEEE CNF
8. **Configuration independent analysis for characterizing shared-memory applications**
Abandah, G.A.; Davidson, E.S.;
Parallel Processing Symposium, 1998. 1998 IPPS/SPDP. Proceedings of the First Merged International...and Symposium on Parallel and Distributed Processing 1998
30 March-3 April 1998 Page(s):485 - 491
IEEE CNF
9. **A model for dynamic configuration which preserves application integrity**
Warren, I.; Sommerville, I.;
Configurable Distributed Systems, 1996. Proceedings., Third International Conference on

10. **Configuring scientific applications in a heterogeneous distributed system**
Homer, P.T.; Schlichting, R.D.;
Configurable Distributed Systems, 1994., Proceedings of 2nd International Workshop on
21-23 March 1994 Page(s):159 - 168
IEEE CNF
11. **Configuration and dynamic reconfiguration of component-based applications with Microsoft .NET**
Rasche, A.; Polze, A.;
Object-Oriented Real-Time Distributed Computing, 2003. Sixth IEEE International Symposium on
14-16 May 2003 Page(s):164 - 171
IEEE CNF
12. **Automated modular file-based distributed configuration management for Unix servers of heterogeneous applications**
Aminoff, A.;
Systems Management, 1998. Proceedings of the IEEE Third International Workshop on
22-24 April 1998 Page(s):22 - 23
IEEE CNF
13. **Configuring distributed multimedia applications using CINEMA**
Barth, I.;
Multimedia Software Development, 1996. Proceedings., International Workshop on
25-26 March 1996 Page(s):69 - 76
IEEE CNF
14. **A dynamically tunable memory hierarchy**
Balasubramonian, R.; Albonesi, D.H.; Buyuktosunoglu, A.; Dwarkadas, S.;
Computers, IEEE Transactions on
Volume 52, Issue 10, Oct. 2003 Page(s):1243 - 1258
IEEE JNL
15. **Reverb: middleware for distributed application forensics**
Widener, P.;
Challenges of Large Applications in Distributed Environments, 2005. CLADE 2005. Proceedings
24 July 2005 Page(s):77 - 86
IEEE CNF
16. **The revolution in drive configuration & diagnostic tools**
Hamby, J.;
Cement Industry Technical Conference, 2005. Conference Record
15-20 May 2005 Page(s):115 - 123
IEEE CNF
17. **Application-specific configuration of multithreaded processor architecture for embedded applications**
Kiemb, M.; Kiyoun Choi;
Circuits and Systems, 2004. ISCAS '04. Proceedings of the 2004 International Symposium on
Volume 2, 23-26 May 2004 Page(s):II - 941-4 Vol.2
IEEE CNF
18. **Powerful pulsed laser application in setups for magnetic fusion energy**
Nastoyashchii, A.;
Pulsed Power Plasma Science, 2001. IEEE Conference Record - Abstracts
17-22 June 2001 Page(s):595
IEEE CNF
19. **Automatic configuration and run-time adaptation of distributed applications**
Chang, F.; Karamcheti, V.;
High-Performance Distributed Computing, 2000. Proceedings. The Ninth International Symposium on
1-4 Aug. 2000 Page(s):11 - 20
IEEE CNF

20. **Applications of MPSX/MIP370 with ECL in optimum configuration of text fixtures in electronic cards assembly and test**
Ahmadi, J.H.;
Electronic Manufacturing Technology Symposium, 1990 Proceedings, 'Competitive Manufacturing for the Next Decade'. IEMT Symposium, Ninth IEEE/CHMT International
1-3 Oct. 1990 Page(s):120 - 122
IEEE CNF
21. **Self-started voltage-source series-resonant converter for high-power induction heating and melting applications**
Jain, P.K.; Espinoza, J.R.; Dewan, S.B.;
Industry Applications, IEEE Transactions on
Volume 34, Issue 3, May-June 1998 Page(s):518 - 525
IEEE JNL
22. **Review of semiconductor-controlled (static) phase shifters for power systems applications**
Iravani, M.R.; Maratukulam, D.;
Power Systems, IEEE Transactions on
Volume 9, Issue 4, Nov. 1994 Page(s):1833 - 1839
IEEE JNL
23. **Systematic knowhow management**
Iacchia, F.;
Manufacturing Engineer
Volume 78, Issue 2, April 1999 Page(s):79 - 81
IEEE JNL
24. **OpenGL multipipe SDK: a toolkit for scalable parallel rendering**
Praveen Bhaniramka; Robert, P.C.D.; Eilemann, S.;
Visualization, 2005. VIS 05. IEEE
23-28 Oct. 2005 Page(s):119 - 126
IEEE CNF
25. **On the automatic configuration of application-oriented operating systems**
Tondello, G.F.; Frohlich, A.A.;
Computer Systems and Applications, 2005. The 3rd ACS/IEEE International Conference on
2005 Page(s):120
IEEE CNF

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)
The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar Results 1 - 10 of about 231 for application and configuration and (redo or undo or rollback). (0.15 seconds)

Fast-Start: Quick Fault Recovery in Oracle - group of 7 »

T Lahiri, A Ganesh, R Weiss, A Joshi - SIGMOD Conference, 2001 - portal.acm.org
... as the Oracle Parallel Server (OPS) [1, 5, 6] **configuration**. ... The log position at which **redo application** must begin is ... the change as well as the **redo** for the ...
Cited by 7 - [Web Search](#) - [BL Direct](#)

A Recovery-Oriented Approach to Dependable Services: Repairing Past Errors with System-Wide

Undo - group of 8 »

A Brown - Computer, 2003 - roc.cs.berkeley.edu
... underpinned our experimental evaluation of **undo**. ... realities of practical **applications** can change ... human intervention for software **configuration** and upgrading ...
Cited by 10 - [View as HTML](#) - [Web Search](#)

50,000 Users on an Oracle8 Universal Server Database - group of 4 »

T Lahiri, A Joshi, A Jasuja, S Chatterjee - SIGMOD RECORD, 1998 - portal.acm.org
... the characteristics of a typical high-concurrency OLTP **application**. ... are involved in the MTS **configuration**: a network ... lists, and the number of **redo-copy** latches ...
Cited by 3 - [Web Search](#) - [BL Direct](#)

Undo for anyone, anywhere, anytime - group of 2 »

JO'Brien, M Shapiro - www-sor.inria.fr
... of modifications; only the **application** and the ... author presents a general-purpose **undo/redo** system intended ... system administrators to repair **configuration** errors ...
[View as HTML](#) - [Web Search](#)

RECOVERY DESIGN SPACE

RO Computing, BM Dependability - doi.ieeecomputersociety.org
... of all system state, including **configuration** state and ... as well as OS and **application** binaries. The **redo** functionality replays the logged external interactions ...
[Web Search](#)

Recovery-Oriented Computing: Building Multitier Dependability - group of 3 »

B Aaron - ieeeexplore.ieee.org
... of all system state, including **configuration** state and ... as well as OS and **application** binaries. The **redo** functionality replays the logged external interactions ...
[Web Search](#)

[book] Oracle9i Rac: Oracle Real Application Clusters Configuration and Internals - group of 2 »

M Ault, M Tumma, MR Ault - 2003 - books.google.com
... 397 **Configuration** when the Standby Database is also a Cluster (RAC-) System 398 ... 404
Overview of Transparent **Application** Failover 404 ... 339 **Redo** Thread Maintenance ...
Cited by 1 - [Web Search](#) - [Library Search](#)

Solid State Disks in an Oracle Environment

JA Morle, SA Ltd - scaleabilities.com
... **applications** (to remain nameless), this **application** now spent a ... The same benchmark **configuration** was used as the ... **Redo** Placement Completion time % Time spent in ...
[View as HTML](#) - [Web Search](#)

Recovery Oriented Computing-Operator Failures-

C Fetzer, TU Dresden - wwwse.inf.tu-dresden.de
... familiar model: ubiquitous in **applications** ... revert system-wide **configuration** changes ... email server; effects of virus are squashed on **redo** ...

... Approach to Dependable Services: Repairing Past Errors with System-wide **Undo** by Aaron Baeten Brown ...

... 216 9-6 Three-level nesting to capture well-known operator **configuration** actions

[View as HTML](#) - [Web Search](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

©2006 Google



Terms used

[application](#) and [configuration](#) and [redo](#) or [undo](#) or [rollback](#)

Found 32,136 of 171,143

Sort results by

☒ Save results to a Binder

Try an [Advanced Search](#)

Display results

☐ Search Tips

Try this search in [The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Fast-Start: quick fault recovery in oracle](#)



Tirthankar Lahiri, Amit Ganesh, Ron Weiss, Ashok Joshi

May 2001 **ACM SIGMOD Record , Proceedings of the 2001 ACM SIGMOD international conference on Management of data SIGMOD '01**, Volume 30 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(78.85 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Availability requirements for database systems are more stringent than ever before with the widespread use of databases as the foundation for ebusiness. This paper highlights *Fast-Start™ Fault Recovery*, an important availability feature in Oracle, designed to expedite recovery from unplanned outages. Fast-Start allows the administrator to configure a running system to impose predictable bounds on the time required for crash recovery. For instance, fast-start allows fine-gr ...

2 [Extended ephemeral logging: log storage management for applications with long lived transactions](#)



John S. Keen, William J. Dally

March 1997 **ACM Transactions on Database Systems (TODS)**, Volume 22 Issue 1

Publisher: ACM Press

Full text available:  [pdf\(566.34 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#), [review](#)
Keywords: OLTP, disk management, logging, long transactions

3 [Synchronization and recovery in a client-server storage system](#)

E. Panagos, A. Biliris

August 1997 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 6 Issue 3

Publisher: Springer-Verlag New York, Inc.

Full text available:  [pdf\(205.25 KB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

Client-server object-oriented database management systems differ significantly from traditional centralized systems in terms of their architecture and the applications they target. In this paper, we present the client-server architecture of the EOS storage manager and we describe the concurrency control and recovery mechanisms it employs. EOS offers a semi-optimistic locking scheme based on the multi-granularity two-version two-phase locking protocol. Under this scheme, multiple concurrent reads ...

Keywords: Checkpoint, Client-server architecture, Object management, Concurrency control, Locking, Logging, Recovery, Transaction management

4 Fast cluster failover using virtual memory-mapped communication



Yuanyuan Zhou, Peter M. Chen, Kai Li

May 1999 **Proceedings of the 13th international conference on Supercomputing**

Publisher: ACM Press

Full text available: pdf(1.45 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

5 Speculative execution in a distributed file system



Edmund B. Nightingale, Peter M. Chen, Jason Flinn

October 2005 **ACM SIGOPS Operating Systems Review , Proceedings of the twentieth ACM symposium on Operating systems principles SOSP '05**, Volume 39 Issue 5

Publisher: ACM Press

Full text available: pdf(305.54 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Speculator provides Linux kernel support for speculative execution. It allows multiple processes to share speculative state by tracking causal dependencies propagated through inter-process communication. It guarantees correct execution by preventing speculative processes from externalizing output, e.g., sending a network message or writing to the screen, until the speculations on which that output depends have proven to be correct. Speculator improves the performance of distributed file systems ...

Keywords: causality, distributed file systems, speculative execution

6 Research papers: streams: Fault-tolerance in the Borealis distributed stream processing system



Magdalena Balazinska, Hari Balakrishnan, Samuel Madden, Michael Stonebraker

June 2005 **Proceedings of the 2005 ACM SIGMOD international conference on Management of data**

Publisher: ACM Press

Full text available: pdf(612.50 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

We present a replication-based approach to fault-tolerant distributed stream processing in the face of node failures, network failures, and network partitions. Our approach aims to reduce the degree of inconsistency in the system while guaranteeing that available inputs capable of being processed are processed within a specified time threshold. This threshold allows a user to trade availability for consistency: a larger time threshold decreases availability but limits inconsistency, while a small ...

7 Recovery protocols for shared memory database systems



Lory D. Molesky, Krihti Ramamritham

May 1995 **ACM SIGMOD Record , Proceedings of the 1995 ACM SIGMOD international conference on Management of data SIGMOD '95**, Volume 24 Issue 2

Publisher: ACM Press

Full text available: pdf(1.65 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Significant performance advantages can be gained by implementing a database system on a cache-coherent shared memory multiprocessor. However, problems arise when failures occur. A single node (where a *node* refers to a processor/memory pair) crash may require a reboot of the entire shared memory system. Fortunately, shared memory multiprocessors that isolate individual node failures are currently being developed. Even with these, because of the side effects of the cache coherency protocol, ...

8 Recovery guarantees for Internet applications



Roger Barga, David Lomet, German Shegalov, Gerhard Weikum

August 2004 **ACM Transactions on Internet Technology (TOIT)**, Volume 4 Issue 3

Publisher: ACM Press

Full text available: pdf(997.52 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Internet-based e-services require application developers to deal explicitly with failures of the underlying software components, for example web servers, servlets, browser sessions, and so forth. This complicates application programming, and may expose

failures to end users. This paper presents a framework for an application-independent infrastructure that provides recovery guarantees and masks almost all system failures, thus relieving the application programmer from having to deal with these f ...

Keywords: Exactly-once execution, application recovery, communication protocols, interaction contracts

9 File servers for network-based distributed systems



Liba Svobodova

December 1984 **ACM Computing Surveys (CSUR)**, Volume 16 Issue 4

Publisher: ACM Press

Full text available: [pdf\(4.23 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [review](#)

10 Managing update conflicts in Bayou, a weakly connected replicated storage system



D. B. Terry, M. M. Theimer, Karin Petersen, A. J. Demers, M. J. Spreitzer, C. H. Hauser

December 1995 **ACM SIGOPS Operating Systems Review , Proceedings of the fifteenth ACM symposium on Operating systems principles SOSP '95**, Volume 29 Issue 5

Publisher: ACM Press

Full text available: [pdf\(1.56 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

11 Concurrent compacting garbage collection of a persistent heap



James O'Toole, Scott Nettles, David Gifford

December 1993 **ACM SIGOPS Operating Systems Review , Proceedings of the fourteenth ACM symposium on Operating systems principles SOSP '93**, Volume 27 Issue 5

Publisher: ACM Press

Full text available: [pdf\(1.50 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We describe a replicating garbage collector for a persistent heap. The garbage collector cooperates with a transaction manager to provide safe and efficient transactional storage management. Clients read and write the heap in primary memory and can commit or abort their write operations. When write operations are committed they are preserved in stable storage and survive system failures. Clients can freely access the heap during garbage collection because the collector concurrently builds a comp ...

12 Persistent memory: a storage architecture for object-oriented database systems



Satish M. Thatte

September 1986 **Proceedings on the 1986 international workshop on Object-oriented database systems**

Publisher: IEEE Computer Society Press

Full text available: [pdf\(1.13 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Object-oriented databases are needed to support database objects with a wide variety of types and structures. A persistent memory system provides a storage architecture for long-term, reliable retention of objects with rich types and structures in the virtual memory itself. It is based on a uniform memory abstraction, which eliminates the distinction between transient objects (data structures) and persistent objects (files and databases), and therefore, allows the same set of powerful and f ...

13 Garbage collection for a client-server persistent object store



Laurent Amsaleg, Michael J. Franklin, Olivier Gruber

August 1999 **ACM Transactions on Computer Systems (TOCS)**, Volume 17 Issue 3

Publisher: ACM Press

Full text available: [pdf\(267.18 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We describe an efficient server-based algorithm for garbage collecting persistent object stores in a client-server environment. The algorithm is incremental and runs concurrently with client transactions. Unlike previous algorithms, it does not hold any transactional locks on data and does not require callbacks to clients. It is fault-tolerant, but performs very little logging. The algorithm has been designed to be integrated into existing systems, and therefore it works with standard i ...

Keywords: client-server system, logging, persistent object-store, recovery

14 Implementing crash recovery in QuickStore: a performance study



Seth J. White, David J. DeWitt

May 1995 **ACM SIGMOD Record , Proceedings of the 1995 ACM SIGMOD international conference on Management of data SIGMOD '95**, Volume 24 Issue 2

Publisher: ACM Press

Full text available: pdf(1.67 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Implementing crash recovery in an Object-Oriented Database System (OODBMS) raises several challenging issues for performance that are not present in traditional DBMSs. These performance concerns result both from significant architectural differences between OODBMSs and traditional database systems and differences in OODBMS's target applications. This paper compares the performance of several alternative approaches to implementing crash recovery in an OODBMS based on a client-server architecture. ...

15 A Survey of Techniques for Synchronization and Recovery in Decentralized Computer Systems



Walter H. Kohler

June 1981 **ACM Computing Surveys (CSUR)**, Volume 13 Issue 2

Publisher: ACM Press

Full text available: pdf(3.33 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

16 Minimum cost adaptive synchronization: experiments with the ParaSol system



Edward Mascarenhas, Felipe Knop, Reuben Pasquini, Vernon Rego

October 1998 **ACM Transactions on Modeling and Computer Simulation (TOMACS)**, Volume 8 Issue 4

Publisher: ACM Press

Full text available: pdf(265.07 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We present a novel adaptive synchronization algorithm, called the minimum average cost (MAC) algorithm, in the context of the parasol parallel simulation system. ParaSol is a multithreaded system for parallel simulation on shared- and distributed-memory environments, designed to support domain-specific Simulation Object Libraries. The proposed MAC algorithm is based on minimizing the cost of synchronization delay and rollback at a process, whenever its simulation driver must decide whether ...

Keywords: ParaSol, adaptive synchronization, optimal delay, optimistic synchronization, parallel and distributed simulation, stochastic simulation, thread

17 Paper session DB-1 (databases): networks and peer-to-peer: Decentralized coordination of transactional processes in peer-to-peer environments



Klaus Haller, Heiko Schuldt, Can Türker

October 2005 **Proceedings of the 14th ACM international conference on Information and knowledge management CIKM '05**

Publisher: ACM Press

Full text available: pdf(369.47 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Business processes executing in peer-to-peer environments usually invoke Web services on different, independent peers. Although peer-to-peer environments inherently lack global control, some business processes nevertheless require global transactional

guarantees, i.e., atomicity and isolation applied at the level of processes. This paper introduces a new decentralized serialization graph testing protocol to ensure concurrency control and recovery in peer-to-peer environments. The uniqueness of t ...

Keywords: DSGT, decentralized coordination, global correctness, partial rollback, peer-to-peer communication, transactional processes

18 Approaches to fault-tolerant and transactional mobile agent execution---an

algorithmic view

Stefan Pleisch, André Schiper

September 2004 **ACM Computing Surveys (CSUR)**, Volume 36 Issue 3


Publisher: ACM Press

Full text available:  pdf(946.94 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Over the past years, mobile agent technology has attracted considerable attention, and a significant body of literature has been published. To further develop mobile agent technology, reliability mechanisms such as fault tolerance and transaction support are required. This article aims at structuring the field of fault-tolerant and transactional mobile agent execution and thus at guiding the reader to understand the basic strengths and weaknesses of existing approaches. It starts with a discu ...

Keywords: ACID, Byzantine failures, agreement problem, asynchronous system, commit, crash failures, fault tolerance, malicious places, mobile agents, replication, security, transaction

19 The taser intrusion recovery system

 Ashvin Goel, Kenneth Po, Kamran Farhadi, Zheng Li, Eyal de Lara

October 2005 **ACM SIGOPS Operating Systems Review , Proceedings of the twentieth ACM symposium on Operating systems principles SOSP '05**, Volume 39 Issue 5

Publisher: ACM Press

Full text available:  pdf(346.32 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Recovery from intrusions is typically a very time-consuming operation in current systems. At a time when the cost of human resources dominates the cost of computing resources, we argue that next generation systems should be built with automated intrusion recovery as a primary goal. In this paper, we describe the design of Taser, a system that helps in selectively recovering legitimate file-system data after an attack or local damage occurs. Taser reverts tainted, i.e. attack-dependent, file-syst ...

Keywords: file systems, intrusion analysis, intrusion recovery, snapshots

20 The WarpIV Simulation Kernel

Jeffrey S. Steinman

June 2005 **Proceedings of the 19th Workshop on Principles of Advanced and Distributed Simulation PADS '05**

Publisher: IEEE Computer Society

Full text available:  pdf(1.28 MB) Additional Information: [full citation](#), [abstract](#)

This paper provides an overview of the WarpIV Simulation Kernel that was designed to be an initial implementation of the Standard Simulation Architecture (SSA). WarpIV is the next generation replacement for the Synchronous Parallel Environment for Emulation and Discrete Event Simulation (SPEEDES) framework that has supported a number of DoD simulation programs including MDWAR, EADTB, JSIMS, and others. This paper first provides a look back at the historical evolution of SPEEDES, the evolution of ...

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)